


| | | | | |
|---|---|--------------------------|---------|-------|
|  | Document Title: Structural Performance Certification Authorization Report | Doc No: FRM B1-02 | | |
| | | Rev No: 7 | Page: 1 | Of: 1 |
| Required By: PRO B1-03 | | | | |

CAR & Product ID Number: 190 - 789.0
Issue Date: 10/20/2011
Revision Date: 5/21/2021
Expiration Date: 9/21/2024
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.



This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

| | |
|--|--|
| Licensee Information: | Product Information: |
| PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA | Model: CD290 Cabana Full Lite Aluminum Outswing Door Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 37 Max Height: 81 |


| | |
|-------------------------------|--|
| Referenced Standard: | Product Rating: |
| AAMA/WDMA/CSA 101/IS2/A440-08 | Class R-PG50 949x2051 (37x81)-Type SHD |

| | |
|-------------------------------------|---------------|
| Qualifying Test Information: | |
| Test Report No: | FTL-6631/6634 |
| Test Report Expiration: | 9/21/2024 |

Authorized Signature:

Aaron Shultz
13:56:02 2021.05.21  
'00'04-

Keystone Certifications, Inc.
145 Limekiln Rd. Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

| | | | |
|---|--|--------------------------|---------------|
|  | Document Title: | Doc No: FRM B1-02 | |
| | Structural Performance Certification Authorization Report | Rev No: 7 | Page: 1 Of: 1 |
| Required By: PRO B1-03 | | | |

CAR & Product ID Number: 190 - 791.0
 Issue Date: 10/20/2011
 Revision Date: 5/21/2021
 Expiration Date: 9/23/2024
 Company Code: 190


This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

| | |
|--|---|
| Licensee Information: | Product Information: |
| PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA | Model: CD290 Cabana Aluminum Full Lite O/S Door w/ SH Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 37 Max Height: 81 |


| | |
|-------------------------------|--|
| Referenced Standard: | Product Rating: |
| AAMA/WDMA/CSA 101/IS2/A440-08 | Class R-PG50 949x2051 (37x81)-Type SHD |

| | |
|-------------------------------------|---------------|
| Qualifying Test Information: | |
| Test Report No: | FTL-6633/6634 |
| Test Report Expiration: | 9/23/2024 |

Authorized Signature:
 Aaron Shultz
 13:57:59 2021.05.21 
 '00'04-



Keystone Certifications, Inc.
 145 Limekiln Rd. Suite 100B
 New Cumberland, Pennsylvania 17070
 Phone: 717-932-8500
 Fax: 717-932-8501

| | | | |
|---|---|--------------------------|---------------|
|  | Document Title: Structural Performance Certification Authorization Report | Doc No: FRM B1-02 | |
| | | Rev No: 7 | Page: 1 Of: 1 |
| Required By: PRO B1-03 | | | |

CAR & Product ID Number: 190 - 792.0
Issue Date: 10/20/2011
Revision Date: 5/21/2021
Expiration Date: 9/26/2024
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.



This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

| | |
|--|--|
| Licensee Information: PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA | Product Information: Model: CD290 Cabana Aluminum Full Lite O/S Door w/ SH Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 72 Max Height: 96 |
|--|--|


| | |
|--|--|
| Referenced Standard: AAMA/WDMA/CSA 101/IS2/A440-08 | Product Rating: Class R-PG35 1829x2438 (72x96)-Type SHD XX |
|--|--|

| | |
|-------------------------------------|---------------|
| Qualifying Test Information: | |
| Test Report No: | FTL-6644/6635 |
| Test Report Expiration: | 9/26/2024 |

Authorized Signature:
Aaron Shultz
13:59:45 2021.05.21
'00'04-

Keystone Certifications, Inc.
145 Limekiln Rd. Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

| | | | |
|---|---|--------------------------|---------------|
|  | Document Title: Structural Performance Certification Authorization Report | Doc No: FRM B1-02 | |
| | | Rev No: 7 | Page: 1 Of: 1 |
| Required By: PRO B1-03 | | | |

CAR & Product ID Number: 190 - 793.0
Issue Date: 10/20/2011
Revision Date: 5/21/2021
Expiration Date: 9/26/2024
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.



This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

| | |
|--|--|
| Licensee Information: PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA | Product Information: Model: CD290 Cabana AI Full Lite O/S Door w/SH/ADA Sill Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 72 Max Height: 96 |
|--|--|


| | |
|--|---|
| Referenced Standard: AAMA/WDMA/CSA 101/IS2/A440-08 | Product Rating: Class R-PG35 1829x2438 (72x96)-Type SHD LW XX |
|--|---|

| | |
|-------------------------------------|--------------------|
| Qualifying Test Information: | |
| Test Report No: | FTL-6645/6635/6681 |
| Test Report Expiration: | 9/26/2024 |

Authorized Signature:

Aaron Shultz
'00'04- 14:01:37 2021.05.21



Keystone Certifications, Inc.
145 Limekiln Rd. Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

| | | | |
|---|--|--------------------------|---------------|
|  | Document Title: | Doc No: FRM B1-02 | |
| | Structural Performance Certification Authorization Report | Rev No: 7 | Page: 1 Of: 1 |
| Required By: PRO B1-03 | | | |

CAR & Product ID Number: 190 - 794.0
 Issue Date: 10/20/2011
 Revision Date: 5/21/2021
 Expiration Date: 9/26/2024
 Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.



This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

| | |
|--|---|
| Licensee Information: | Product Information: |
| PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA | Model: CD290 Cabana AI Full Lite I/S Door w/SH/ADA Sill Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 72 Max Height: 96 |

| | |
|-------------------------------|---|
| Referenced Standard: | Product Rating: |
| AAMA/WDMA/CSA 101/IS2/A440-08 | Class R-PG35 1829x2438 (72x96)-Type SHD LW XX |

| | |
|-------------------------------------|---------------|
| Qualifying Test Information: | |
| Test Report No: | FTL-6646/6635 |
| Test Report Expiration: | 9/26/2024 |

Authorized Signature:

Aaron Shultz
 14:04:38 2021.05.21  
 '00'04-

Keystone Certifications, Inc.
 145 Limekiln Rd. Suite 100B
 New Cumberland, Pennsylvania 17070
 Phone: 717-932-8500
 Fax: 717-932-8501