



Impact Performance Certification Authorization Report

PGT Custom Windows and Doors, LLC

3400 Precision Dr

N. Venice, FL 34275, USA

Certification ID:	190-299
Company Code:	190
Certification Date:	1/16/2015
Revision No:	1
Revision Date:	1/28/2025
Expiration Date:	1/9/2028

Product Rating Information:

Model:	CA5540 PVC Impact Casement		
Operator Type:	C		
Configuration:	All/Snub, GS-5/16" Ann Lami IG		
Referenced Standard:	ASTM E1886-19/E1996-23		
Product Rating:	Missile Level D, Wind Zone 4, DP=+/-50, 36x75		
Rated Dimensions:	Max Width:	36 in	Max Height: 75 in
Linked Structural CARs:	190-1059.0		

Qualifying Test information:

Test Report No:	FTL-8082
Test Report Expiration:	1/9/2028

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull 2025.01.28
11:19:31 -05'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	1/16/2015	Initial issuance.
1	1/28/2025	Granted 3 year extension. Updated reference standard year due to standard equivalency.



Impact Performance Certification Authorization Report

PGT Custom Windows and Doors, LLC

3400 Precision Dr

N. Venice, FL 34275, USA

Certification ID:	190-501
Company Code:	190
Certification Date:	1/16/2015
Revision No:	1
Revision Date:	1/28/2025
Expiration Date:	1/9/2028

Product Rating Information:

Model:	CA5540 PVC Impact Casement		
Operator Type:	C		
Configuration:	All/Snub, GS-5/16" Ann Lami IG		
Referenced Standard:	ASTM E1886-19/E1996-23		
Product Rating:	Missile Level D, Wind Zone 4, DP=+65/-70, 36x84		
Rated Dimensions:	Max Width:	36 in	Max Height: 84 in
Linked Structural CARs:	190-1060.0		

Qualifying Test information:

Test Report No:	FTL-8084/8085/8086
Test Report Expiration:	1/9/2028

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull 2025.01.28
11:21:52 -05'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	1/16/2015	Initial issuance.
1	1/28/2025	Granted 3 year extension. Updated reference standard year due to standard equivalency.