



# Structural Performance Certification Authorization Report

## PGT Industries

1070 Technology Dr.  
N. Venice, FL 34275, USA

Certification ID:	190-1011
Company Code:	190
Certification Date:	10/2/2014
Revision No:	1
Revision Date:	6/5/2024
Expiration Date:	7/29/2027

### Product Rating Information:

Model:	5420/5440 PVC Fixed			
Operator Type:	FW			
Configuration:	No			
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11			
Product Rating:	Class CW-PG50 2438x1600 (96x63)-Type FW, WTP=10.5			
Rated Dimensions:	Max Width:	96 in	Max Height:	63 in

### Qualifying Test Information:

Test Report No:	FTL-7959
Test Report Expiration:	7/29/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at [www.keystonecerts.com](http://www.keystonecerts.com)



### Authorized By:

Shaun Shaull  
*Shaun Shaull* 2024.06.05 15:40:46  
-04'00'

Keystone Certifications, Inc.  
145 Limekiln Rd, Suite 100B  
New Cumberland, PA 17070  
Phone: 717-932-8500



# Structural Performance Certification Authorization Report

## PGT Industries

1070 Technology Dr.  
N. Venice, FL 34275, USA

Certification ID:	190-1017
Company Code:	190
Certification Date:	11/6/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

### Product Rating Information:

Model:	5420/5440 PVC Fixed			
Operator Type:	FW			
Configuration:	No, GS-3/16" Temp IG			
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11			
Product Rating:	Class CW-PG70 3048x1524 (120x60)-Type FW			
Rated Dimensions:	Max Width:	120 in	Max Height:	60 in

### Qualifying Test Information:

Test Report No:	FTL-7891/7895/8167/8093
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at [www.keystonecerts.com](http://www.keystonecerts.com)



### Authorized By:

*Shaun Shaul*  
Shaun Shaul  
2024.07.12  
08:57:05 -04'00'

Keystone Certifications, Inc.  
145 Limekiln Rd, Suite 100B  
New Cumberland, PA 17070  
Phone: 717-932-8500



# Structural Performance Certification Authorization Report

## PGT Industries, Inc.

1070 Technology Dr.  
N. Venice, FL 34275, USA

Certification ID:	190-1344
Company Code:	190
Certification Date:	6/8/2023
Revision No:	0
Revision Date:	6/8/2023
Expiration Date:	6/8/2027

### Product Rating Information:

Model:	5420/5440 PVC Fixed			
Operator Type:	FW			
Configuration:	No			
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-17			
Product Rating:	Class CW-PG35 2438x1600 (96x63)-Type FW, WTP=10.5			
Rated Dimensions:	Max Width:	96 in	Max Height:	63 in

### Qualifying Test Information:

Test Report No:	FTL-7959
Test Report Expiration:	6/8/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at [www.keystonecerts.com](http://www.keystonecerts.com)



### Authorized By:

*Shaun Shaull*  
Shaun Shaull  
2023.06.08 19:07:42  
-04'00'

Keystone Certifications, Inc.  
145 Limekiln Rd, Suite 100B  
New Cumberland, PA 17070  
Phone: 717-932-8500