



Impact Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.

N. Venice, FL 34275, USA

Certification ID:	190-279
Company Code:	190
Certification Date:	10/2/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-7/16" HS Lami IG		
Referenced Standard:	ASTM E1886-05/E1996-12		
Product Rating:	Missile Level D, Wind Zone 4, DP=+/-70, 84x72		
Rated Dimensions:	Max Width:	84 in	Max Height: 72 in
Linked Structural CARs:	190-1012.0		

Qualifying Test information:

Test Report No:	FTL-7893
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull
2024.07.12
08:40:33 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	10/2/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Impact Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.

N. Venice, FL 34275, USA

Certification ID:	190-280
Company Code:	190
Certification Date:	10/3/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-5/16" Ann Lami IG		
Referenced Standard:	ASTM E1886-05/E1996-12		
Product Rating:	Missile Level D, Wind Zone 4, DP=+/-50, 75x48		
Rated Dimensions:	Max Width:	75 in	Max Height: 48 in
Linked Structural CARs:	190-1013.0		

Qualifying Test information:

Test Report No:	FTL-7894
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaul
Shaun Shaul
2024.07.12
08:42:11 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	10/3/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Impact Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.

N. Venice, FL 34275, USA

Certification ID:	190-281
Company Code:	190
Certification Date:	11/7/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-7/16" Ann Lami IG (Ann Cap)		
Referenced Standard:	ASTM E1886-05/E1996-12		
Product Rating:	Missile Level D, Wind Zone 4, DP=+/-65, 84x54		
Rated Dimensions:	Max Width:	84 in	Max Height: 54 in
Linked Structural CARs:	190-1019.0		

Qualifying Test information:

Test Report No:	FTL-7896
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaul
Shaun Shaul 2024.07.12
08:44:07 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	11/7/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Impact Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.

N. Venice, FL 34275, USA

Certification ID:	190-282
Company Code:	190
Certification Date:	11/7/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-5/16" Ann Lami IG		
Referenced Standard:	ASTM E1886-05/E1996-12		
Product Rating:	Missile Level D, Wind Zone 4, DP=+/-50, 36x72		
Rated Dimensions:	Max Width:	36 in	Max Height: 72 in
Linked Structural CARs:	190-1014.0		

Qualifying Test information:

Test Report No:	FTL-7910
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull 2024.07.12
08:45:43 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	11/7/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Impact Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.

N. Venice, FL 34275, USA

Certification ID:	190-283
Company Code:	190
Certification Date:	11/7/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-7/16" HS Lami IG		
Referenced Standard:	ASTM E1886-05/E1996-12		
Product Rating:	Missile Level D, Wind Zone 4, DP=+/-70, 96x63		
Rated Dimensions:	Max Width:	96 in	Max Height: 63 in
Linked Structural CARs:	190-1020.0		

Qualifying Test information:

Test Report No:	FTL-7892/8096
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaul
Shaun Shaul
2024.07.12
08:47:16 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	11/7/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Impact Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.

N. Venice, FL 34275, USA

Certification ID:	190-284
Company Code:	190
Certification Date:	11/11/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-7/16" Ann Lami IG		
Referenced Standard:	ASTM E1886-05/E1996-12		
Product Rating:	Missile Level D, Wind Zone 4, DP=+/-70, 84x54		
Rated Dimensions:	Max Width:	84 in	Max Height: 54 in
Linked Structural CARs:	190-1019.0		

Qualifying Test information:

Test Report No:	FTL-7896
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull 2024.07.12
08:49:33 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Impact Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	11/11/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Structural Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.
N. Venice, FL 34275, USA

Certification ID:	190-1012
Company Code:	190
Certification Date:	10/2/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-7/16" HS Lami IG		
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11		
Product Rating:	Class CW-PG70 1226x1829 (84x72)-Type FW		
Rated Dimensions:	Max Width:	84 in	Max Height: 72 in

Qualifying Test Information:

Test Report No:	FTL-7893
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaul
Shaun Shaul
2024.07.12 08:51:34
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Structural Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	10/2/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Structural Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.
N. Venice, FL 34275, USA

Certification ID:	190-1013
Company Code:	190
Certification Date:	10/3/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-5/16" Ann Lami IG		
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11		
Product Rating:	Class CW-PG50 1905x1226* (75x48*)-Type FW WTP=10.5		
Rated Dimensions:	Max Width:	75 in	Max Height: 48 in

Qualifying Test Information:

Test Report No:	FTL-7894
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull 2024.07.12 08:53:14
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Structural Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	10/3/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Structural Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.
N. Venice, FL 34275, USA

Certification ID:	190-1014
Company Code:	190
Certification Date:	10/6/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-5/16" Ann Lami IG		
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11		
Product Rating:	Class CW-PG50 914x1829* (36x72*)-Type FW WTP=10.5		
Rated Dimensions:	Max Width:	36 in	Max Height: 72 in

Qualifying Test Information:

Test Report No:	FTL-7910
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull
2024.07.12
08:54:50 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Structural Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	10/6/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Structural Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.
N. Venice, FL 34275, USA

Certification ID:	190-1019
Company Code:	190
Certification Date:	11/7/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-7/16" Ann Lami IG		
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11		
Product Rating:	Class CW-PG70 2134x1372* (84x54*)-Type FW		
Rated Dimensions:	Max Width:	84 in	Max Height: 54 in

Qualifying Test Information:

Test Report No:	FTL-7896
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaull
Shaun Shaull 2024.07.12 08:58:35
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Structural Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	11/7/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.



Structural Performance Certification Authorization Report

PGT Industries

1070 Technology Dr.
N. Venice, FL 34275, USA

Certification ID:	190-1020
Company Code:	190
Certification Date:	11/7/2014
Revision No:	1
Revision Date:	7/12/2024
Expiration Date:	8/12/2027

Product Rating Information:

Model:	5520/5540 PVC Imp Fixed		
Operator Type:	FW		
Configuration:	No, GS-7/16" HS Lami IG		
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11		
Product Rating:	Class CW-PG70 2438x1600 (96x63)-Type FW		
Rated Dimensions:	Max Width:	96 in	Max Height: 63 in

Qualifying Test Information:

Test Report No:	FTL-7892/8166
Test Report Expiration:	8/12/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:

Shaun Shaul
Shaun Shaul 2024.07.12 09:14:12
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Structural Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	11/7/2014	Initial Issuance.
1	7/12/2024	Granted 3 Year Extension.